5

10

15

## **CLAIMS**

- A method for preventing activating a malicious object passing through a checkpoint, and decreasing the overall inspection delay thereof, the method comprising the steps of:
  - a. at said checkpoint, creating an envelope file, being an executable file comprising:
    - said object;
    - code for extracting said object from said envelope file; and
    - an indicator for indicating the integrity of said object;
  - forwarding said envelope file instead of said object toward its destination, while holding at least a part of said envelope file which comprises said indicator;
  - c. inspecting said object;
  - d. setting said indicator on said envelope file to indicate the inspection result thereof, and
  - e. releasing the rest of said envelope file.
- A method according to claim 1, wherein said checkpoint is selected from a
  group comprising: a gateway server, a proxy server.
  - 3. A method according to claim 1, wherein said code is auto-executable.
- 4. A method according to claim 1, wherein the name of said envelope file is identical to the name of the inspected object.
  - A method according to claim 1, wherein the name of said envelope file differs than the name of the inspected object.
- 30 6. A method according to claim 1, wherein said indicator is selected from a group comprising: a CRC of at least one part of said envelope file, a CRC of at least one part of said inspected object, a checksum of at least one

part of said envelope file, a checksum of at least one part of said inspected object, a value stored within said envelope file, absence of a part of said envelope file, absence of a part of said object.

- 5 7. A method according to claim 1, wherein at least a part of said object is secured.
  - 8. A method according to claim 1, wherein at least a part of said envelope file is secured.
  - 9. A method according to claim 1, wherein said indicator is stored within the last part of said envelope file.
  - 10. A method according to claim 1, wherein said envelope file further comprises code for displaying an acknowledgment.
    - 11. A method according to claim 10, wherein said acknowledgment indicates integrity of said object.

20

15

10